



ELSEVIER

Marine Micropaleontology 29 (1997) 423–424

**MARINE
MICROPALaeontology**

Contents Volume 29, 1996/1997

Research Papers

- Integrated stratigraphy and paleoceanography of the Messinian (latest Miocene) across the North Atlantic Ocean
J. Zhang and D.B. Scott 1
- Calcareous nannofossils as paleoproductivity indicators in Upper Cretaceous organic-rich sequences in Israel
Y. Eshet and A. Almogi-Labin 37

Book Review

- The Challenger Foraminifera*, by R.W. Jones — C.W. Smart 63

MicroNotes

- The Cretaceous–Tertiary boundary: the El Kef blind test
J.H. Lipps 65
- An attempt to resolve the controversy over the end-Cretaceous extinction of planktic foraminifera at El Kef, Tunisia using a blind test. Introduction: background and procedures
R.N. Ginsburg 67
- The El Kef sections and sampling procedures
J. Smit, G. Keller, F. Zargouni, S. Razgallah, M. Shimi, O. Ben Abdelkader, N. Ben Haj Ali and H. Ben Salem 69
- El Kef blind test I results
J.I. Canudo 73
- El Kef blind test II results
B.A. Masters 77
- El Kef blind test III results
R.K. Olsson 80
- El Kef blind test IV results
X. Orue-etxebarria 85
- Analysis of El Kef blind test I
G. Keller 89
- Analysis of the El Kef blind test II
J. Smit and A.J. Nederbragt 94
- Perspectives on the blind test
R.N. Ginsburg 101

Research Papers

- Benthic foraminiferal assemblages between two major extinction events: the Paleocene El Kef section, Tunisia
T.J. Kouwenhoven, R.P. Speijer, C.W.M. van Oosterhout and G.J. van der Zwaan 105
- Planktic foraminiferal turnover across the Paleocene–Eocene transition at DSDP Site 401, Bay of Biscay, North Atlantic
A. Pardo, G. Keller, E. Molina and J.I. Canudo 129

Experimental and observational studies of radiolarian physiological ecology, 6. Effects of silicate-supplemented seawater on the longevity and weight gain of spongioid radiolarians <i>Spongaster tetras</i> and <i>Dictyocoryne truncatum</i> K. Sugiyama and O.R. Anderson	159
Editorial	
J.R. Young and J.H. Lipps	173
<i>Research Papers</i>	
Laboratory observations of rates and patterns of movement of continental margin benthic foraminifera L. Bornmalm, B.H. Corliss and K. Tedesco	175
Benthic foraminiferal associations in the Northern Bay of Safaga, Red Sea, Egypt T.G. Haunold, C. Baal and W.E. Piller	185
The impact of the Mediterranean Outflow Water (MOW) on benthic foraminiferal assemblages and surface sediments at the southern Portuguese continental margin J. Schönfeld	211
Distribution of the twenty seven dominant species of shelf benthic foraminifera on the continental shelf, north of Dakar (Senegal) J.-P. Debenay and F. Redois	237
Distribution of planktic foraminifera at the ice margin in the Arctic (Fram Strait) J. Carstens, D. Hebbeln and G. Wefer	257
The morphometric variation of <i>Actinomma boreale</i> (Radiolaria) in Atlantic boreal waters G. Cortese and K.R. Bjørklund	271
Distribution of <i>Chaetoceros</i> resting spores in modern peri-Antarctic sediments X. Crosta, J.-J. Pichon and M. Labracherie	283
Paleodepth determination from Antarctic benthic diatom assemblages J.M. Whitehead and A. McMinn	301
Morphology and biogeography of <i>Gephyrocapsa</i> coccoliths in Holocene sediments J. Bollmann	319
The last 100,000 years in the western Mediterranean: sea surface water and frontal dynamics as revealed by coccolithophores J.A. Flores, F.J. Sierro, G. Francés, A. Vázquez and I. Zamarreño	351
Dinoflagellate cyst distribution in surface sediments of the southern Indian Ocean F. Marret and A. de Vernal	367
Preservation of organic-walled dinoflagellate cysts in different oxygen regimes: a 10,000 year natural experiment K.A.F. Zonneveld, G.J.M. Versteegh and G.J. de Lange	393
Use of dinoflagellate cysts to determine changing Quaternary sea-surface temperature in southern Australia A. McMinn and P. Wells	407

